

vitrinemedia | **LIGHT & PLAY® 4**



LIGHT & PLAY[®] 4

BE REMARKABLE

Seamlessly integrated with VM LED Poster-Holders, the LIGHT & PLAY[®] 4 brings dynamic content such as videos or smart mandates.

VARIOUS CONFIGURATIONS

With his 21.5-inch LCD screen of 2000 nits. The LIGHT&PLAY[®] 4 can be installed either in portrait mode or landscape mode, anywhere in your column.

EASY MANAGEMENT OF YOUR CONTENT

Thanks to the VM APP integrated on the LIGHT & PLAY[®] 4, displaying content have never that easy. The VM APP allows you to make your own content from scratch and easily transfer it to the LIGHT & PLAY[®] 4 via Wi-Fi.

EFFICIENT POWER USE

LIGHT & PLAY[®] 4 reduces its power consumption, offering a sustainable and energy-efficient solution to display your dynamic content.

CUSTOMIZABLE BACK COVER

LIGHT & PLAY[®] 4 is delivered with a neutral black back cover in standard. This back cover can be customized with printed adhesive to add a visual according to your preference (logo, text, etc.)!

COMPATIBILITY

LIGHT & PLAY[®] 4 is compatible with most of Vitrinemia's fixation systems: VM CABLE, VM WALL, VM MOBILE STAND EASY CLIP, VM BOX PREMIUM, VM Z LIGHT & PLAY, VM DOCK. It can also be installed on a standard VESA mounting system (200x200mm).



Hang up to 4x LIGHT & PLAY[®] 4 per column with XPR FIXTURE SET 2024.

ADVANTAGES



Color
Black, Silver and Chrome



Brightness
21.5" 2000 nits



Screen Resolution
1920x1080 (FULL HD)



Connection
**2.4G/5G Wi-Fi
RJ45**



Operates up to an ambient temperature of
50° C maximum.



50 Route de la Reine - 92100 Boulogne-Billancourt
FRANCE | +33 (0)1 49 21 00 61 | hello@vitrinemia.com
www.vitrinemia.com

vitrinemia





DIMENSIONS (mm)

BE REMARKABLE



Diagonal	A	B	C1	C2	D	E1	E2	F1	F2
21.5"	530	327	24,5	53	170	30	28	200	200

* D is the distance between suspension cables.



LIGHT & PLAY® 4 21.5" comes with
4 clips VM TWO CLIP SECURE FIX.

vitrinemia





OVERVIEW

BE REMARKABLE


CABLES provided with the **LIGHT & PLAY® 4** :

51,5 mm | 64 mm | 88 mm



For customized lengths, use the **PAIR OF CABLES ADJUSTABLE**
(1035019001) to be purchased additionally.



Banner L




Banner L





Distance between LIGHT & PLAY® 4 : $D = 224 \text{ mm}$

Use the PAIR OF CABLES ADJUSTABLE (1035019001) to link LIGHT & PLAY 4®




$D = 88 \text{ mm}$

$D = 51,5 \text{ mm}$



$D = 88 \text{ mm}$





$D = 51,5 \text{ mm}$




Distance between LIGHT & PLAY® 4 : D = 88 mm




D = 51,5 mm





Distance between LIGHT & PLAY® 4 : D = 51,5 mm




D = 88 mm

D = 51,5 mm



D = 88 mm

D = 51,5 mm




D = 64 mm


THESE CONFIGURATIONS ARE NOT ALLOWED



We can't hang more than
2 LIGHT & PLAY® 4
below a Banner L.




We can't hang more than
2 LIGHT & PLAY® 4
below a Banner S.



We can't hang more than
1 LIGHT & PLAY® 4
below a small light box

POWER SUPPLY REQUIREMENT



Quantity of L&Ps	Power consumption (Wh)	Quantity of PS SET 320W
3	150	1
4	200	1
6	300	1
8	400	2
9	450	2
12	600	2

We can't hang more than 12 LIGHT & PLAY® 4 on the same group of rails.
 If more than 12 LIGHT & PLAY® 4, we need to separate the installation
 (XPR rails not connected together).





LIGHT & PLAY® 4

vitrinemedia

50 Route de la Reine - 92100 Boulogne-Billancourt
FRANCE | +33 (0)1 49 21 00 61 | hello@vitrinemedia.com
www.vitrinmedia.com